

PLACE ADDITIONAL REINFORCEMENT ON NEXT COURSE OF UNITS TO ELIMINATE GAPS LEFT BETWEEN REINFORCEMENT ON SPECIFIED PLACEMENT ELEVATION

DIRECTION OF STRENGTH (ROLL DIRECTION)

CUT REINFORCEMENT AROUND CURVE TO APPROXIMATELY 1" FROM FACE OF UNITS

DIRECTION OF STRENGTH (ROLL DIRECTION)


GEOSYNTHETIC PLACEMENT

CONCAVE (INSIDE) CURVE

SCALE: 3/8"=1'

PRELIMINARY

THIS DRAWING IS PRELIMINARY AND SHOULD BE USED FOR ESTIMATING PURPOSES ONLY. A FINAL DESIGN SHOULD BE PERFORMED BY A QUALIFIED REGISTERED ENGINEER. DETERMINATION OF THE SUITABILITY OF ANY INFORMATION OR MATERIAL FOR THE USE CONTEMPLATED, AND ITS MANNER OF USE, IS THE SOLE RESPONSIBILITY OF THE USER.



VERSA-LOK®
Retaining Wall Systems

(800)770-4525 fax(651)770-4089
6348 Hwy36 Ste1, Oakdale, MN 55128 **Solid Solutions™**

VERSA-LOK ULTRA DETAILS

GEOSYNTHETIC INSIDE CURVE

SCALE:	AS NOTED
DRAWN BY:	PDL
CHECKED BY:	
DATE:	8/2013
DWG. NO.:	ULTRA GEOSYNTHETIC IN...